



RECOMMENDED RETAIL PRICE

14 September 2023



FALCON AGRICULTURAL EQUIPMENT (PTY) LTD

Reg No. 2018/410920/07

15 Mopane Road, Merrival, 3291, KwaZulu-Natal, South Africa | P.O. Box 170, Howick, 3290, KwaZulu-Natal, South Africa
Tel: +27 (0) 33 330 4764 | info@falconequipment.co.za | www.falconequipment.co.za



SLASHERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
LIGHT DUTY									
A0001	F25/90 Slasher	3	0,9	10–100	165	10–25	33 744.00 *	38 805.60	
A0003	F25/120 Slasher	4	1,2	10–100	224	15–35	38 366.00 *	44 120.90	
MEDIUM DUTY									
A0011	F40/120 Slasher	+	4	1,2	10–100	307	28–45	46 340.00	53 291.00
A0013	F40/150 Slasher	+	4	1,5	10–100	413	35–50	51 656.00	59 404.40
HEAVY DUTY									
A0027	F50/120 Slasher	+	4	1,2	10-100	314	35–60	56 856.00	65 384.40
A0021	F50/150 Slasher	+	2	1,5	10–140	408	35–60	62 634.00	72 029.10
A0021/4	F50/150/4 Slasher	+	4	1,5	10–140	437	35–60	64 021.00	73 624.15
A0023	F50/180 Slasher	+	2	1,8	10–140	504	40–60	68 643.00	78 939.45
A0023/4	F50/180/4 Slasher	+	4	1,8	10–140	533	40–60	70 723.00	81 331.45
A0026	F50/150RG Slasher	+	4	1,5	10–140	412	35–50	64 584.00	74 271.60
A0028	F50/180RG Slasher	+	4	1,8	10–140	508	40–60	72 341.00	83 192.15
A0095	F60/300 Slasher		2 x 2	3,0	50–350	1 153	60–90	216 444.00	248 910.60
A0096	F60/300T Trailed Slasher		2 x 2	3,0	50–350	1 153	35–90	270 989.00	311 637.35
A0086	F60/450 Flexwing Slasher		3 x 2	4,5	50–350	2 100	50–150	489 513.00	562 939.95
EXTRA HEAVY DUTY									
A0031	F80/150 Slasher		2	1,5	10–100	456	42–80	77 772.00	89 437.80
A0031/4	F80/150/4 Slasher		4	1,5	10–140	486	42–80	81 008.00	93 159.20
A0034	F80/180 Slasher		2	1,8	10–100	513	45–80	80 199.00	92 228.85
A0034/4	F80/180/4 Slasher		4	1,8	10–140	559	45–80	83 550.00	96 082.50
A0037	F80/200 Slasher		2	2,0	10–100	592	48–80	85 515.00	98 342.25
A0037/4	F80/200/4 Slasher		4	2,0	10–140	644	48–80	90 180.00	103 707.00
* Implement excludes a slip-clutch									

HAYMAKERS®									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
SMALL									
A0049	F40/120V Haymaker®	+	4	1,2	10–140	345	35–50	47 958.00	55 151.70
INTERMEDIATE									
A0032	F80/150V Haymaker®	2	1,5	40–155	513	45–80	81 817.00	94 089.55	
A0033	F80/150EV Haymaker®	2	1,5	40–155	557	45–80	83 204.00	95 684.60	
A0035	F80/180V Haymaker®	2	1,8	40–155	553	45–80	85 284.00	98 076.60	
A0036	F80/180EV Haymaker®	2	1,8	40–155	610	45–80	87 248.00	100 335.20	
A0040	F80/200V Haymaker®	2	2,0	40–155	656	45–80	91 476.00	105 197.40	
A0083	F80/200VH Haymaker®	2	2,0	40–155	656	45–80	88 057.00	101 265.55	
LARGE									
A0098	F60/350V Haymaker®	2 x 2	3,5	40–240	1 298	74–96	259 548.00	298 480.20	
A0099	F60/350VT Trailed Haymaker®	2 x 2	3,5	40–240	1 350	min 55	323 800.00	372 370.00	

MATERIAL HANDLING IMPLEMENTS								
Part No	Description	Lifting Capacity (kg)	** Lifting Height (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
BALE HANDLING IMPLEMENTS								
A7111	Bale Fork	750	-	48	-	9 130.00	10 499.50	
A7101	Bale Fork Loader with 2.7m lift	500	2,7	144	-	23 575.00	27 111.25	
A7105	Long beam and carrier mast assembly	500	-	96	-	15 948.00	18 340.20	
UNLOADERS®								
A7500	F750 Uniloader® with spike attachment and swivel hook	750	3,4	323	-	73 381.00	84 388.15	
A7501	F750 Uniloader® with spike attachment, swivel hook and control valve	750	3,4	325	-	84 475.00	97 146.25	
A7502	F1000 Uniloader® with spike attachment	1 000	4,5	566	-	104 004.00	119 604.60	
A7503	F1000 Uniloader® with spike attachment & control valve	1 000	4,5	578	-	116 138.00	133 558.70	
A7504	F1000 Uniloader® with swivel hook & cruciform	1 000	4,5	555	-	91 871.00	105 651.65	
A7505	F1000 Uniloader® with spike attachment, swivel hook and cruciform	1 000	4,5	666	-	117 872.00	135 552.80	
A7506	F1000 Uniloader® with spike attachment, swivel hook, cruciform and control valve	1 000	4,5	678	-	129 543.00	148 974.45	
** Varies depending on the tractor size								

MULCHERS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
FIELDMULCHER™								
A0007	F50/150FM Fieldmulcher™	4	1,5	0–100	421	45–60	68 759.00	79 072.85
A0043	F50/180FM Fieldmulcher™	4	1,8	0–100	580	52–60	78 624.00	90 417.60
A0050	F80/200FM Fieldmulcher™	4	2,0	0–130	720	60–80	96 378.00	110 834.70
SIDE DISCHARGE MULCHERS								
A0056	F80/150SD Side Discharge Mulcher +	6	1,5	10–130	612	45–80	114 752.00	131 964.80
A0058	F80/180SD Side Discharge Mulcher	6	1,8	10–130	680	45–80	115 907.00	133 293.05
A0070	F80/150SD Side Discharge Mulcher with paddle blades +	6	1,5	10–130	615	45–80	114 983.00	132 230.45
A0071	F80/180SD Side Discharge Mulcher with paddle blades	6	1,8	10–130	683	45–80	116 138.00	133 558.70

SPREADERS								
Part No	Description	Capacity	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
ROTORSREADER								
A0061	F3000 Rotorspreader 3.0 m³	3,0 m³	2,5–3	890	35	139 366.00	160 270.90	
A0062	F4200 Rotorspreader 4.2 m³	4,2 m³	2,5–3	1 120	45	178 887.00	205 720.05	
LIMESREADER								
A0064	F400 Mounted Limespreader 400 ℓ	400 ℓ	2,4	380	30–45	81 124.00	93 292.60	
A0065	F500 Trailed Limespreader 500 ℓ	500 ℓ	3,0	480	30–45	70 492.00	81 065.80	

ROTAVATORS								
Part No	Description (Model "+" Includes Offset)	Working Width (m)	Working Depth (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
ROTAVATORS								
A0072	F125 Rotavator	+	1,28	300	549	35–60	129 312.00	148 708.80
A0073	F150 Rotavator	+	1,53	300	596	42–60	130 930.00	150 569.50
A0074	F175 Rotavator	+	1,78	300	645	45–60	140 290.00	161 333.50
A0075	F200 Rotavator	+	2,03	300	698	48–60	148 148.00	170 370.20

BEDFORMERS							
A0076	F125 Bedformer	1,28	-	120	-	36 749.00	42 261.35
A0077	F150 Bedformer	1,53	-	130	-	36 864.00	42 393.60
A0078	F175 Bedformer	1,78	-	140	-	37 211.00	42 792.65
A0079	F200 Bedformer	2,03	-	150	-	37 442.00	43 058.30
A0087	Bedformer and centre form for the F175 Rotavator	1,78	-	196	-	45 531.00	52 360.65
A0088	Bedformer and centre form for the F200 Rotavator	2,03	-	206	-	45 762.00	52 626.30

MOWERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
ROLLERMOWERS									
LIGHT-DUTY									
A0002	F25/90RM Rollermower	3	0,9	0-100	185	10-25	37 326.00 *	42 924.90	
A0004	F25/120RM Rollermower	4	1,2	0-100	238	15-25	42 180.00 *	48 507.00	
MEDIUM-DUTY									
A0012	F40/120RM Rollermower +	4	1,2	0-100	345	15-40	49 345.00	56 746.75	
A0014	F40/150RM Rollermower +	4	1,5	0-100	472	35-40	60 669.00	69 769.35	
HEAVY-DUTY									
A0022	F50/150RM Rollermower +	4	1,5	0-100	493	40-50	72 572.00	83 457.80	
A0024	F50/180RM Rollermower +	4	1,8	0-100	595	40-60	78 697.00	90 501.55	
GRASSMULCHER™									
LIGHT-DUTY									
A0009	F25/120GM Grassmulcher™	4	1,2	10-100	309	15-25	49 922.00 *	57 410.30	
MEDIUM-DUTY									
A0094	F40/150GM Grassmulcher™	4	1,5	10-100	475	35-50	64 599.00	74 288.85	
HEAVY-DUTY									
A0048	F50/180GM Grassmulcher™	4	1,8	10-100	650	40-60	84 706.00	97 411.90	

BLOWERMOWER™								
LIGHT-DUTY								
A0081	F25/90BM Blowermower™ with grass bag	4	0,9	0–100	217	10–25	43 567.00 *	50 102.05
A0092	F25/90BM Blowermower™ without grass bag frame	4	0,9	0–100	197	10–25	38 944.00 *	44 785.60
MEDIUM-DUTY								
A0085	F40/120BM Blowermower™ with grass bag	4	1,2	0–100	359	25–50	55 816.00 *	64 188.40
A0089	F40/120BM Blowermower™ without grass bag frame	4	1,2	0–100	338	25–50	50 847.00 *	58 474.05
A0090	F40/150BM Blowermower™ with grass bag	4	1,5	0–100	471	25–50	67 834.00 *	78 009.10
A0091	F40/150BM Blowermower™ without grass bag frame	4	1,5	0–100	451	25–50	63 212.00 *	72 693.80
HEAVY-DUTY								
A0025	F50/150BM Blowermower™ with grass bag	4	1,5	0–100	560	35–60	85 320.00	98 118.00
A0093	F50/150BM Blowermower™ without grass bag frame	4	1,5	0–100	540	35–60	80 676.00	92 777.40
* Implement excludes a slip-clutch								

SPECIALISED MOWERS								
Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
ROTAGANG®								
A0054	Rotagang® incl carrier frame	12	1,75	10–50	421	25–40	133 126.00	153 094.90
FINISHING MOWER								
A0100	F210 TurfPro Finishing Mower	12	2,1	0–60	470	35–50	112 903.00	129 838.45

FLAIL IMPLEMENTS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
A0102	Flail Cutter F150 (roller) +	42/14	1 500	0–100	615	35–50	139 366.00 *	160 270.90
A0103	Flail Cutter F170 (roller) +	48/16	1 700	0–100	651	35–50	152 193.00 *	175 021.95
A0105	Flail Cutter F210 (roller) +	60/20	2 100	0–100	717	40–60	172 416.00 *	198 278.40
A0106	Flail Cutter F230 (roller) +	66/22	2 300	0–100	751	40–60	175 536.00 *	201 866.40
A0125	F210 Flail Mower (roller) +	20/60	2 100	0–100	n/a	40–60	142 602.00	163 992.30
A0123	F250 Flail Mower (roller) +	24/72	2 500	0–100	n/a	40–60	166 869.00	191 899.35
A0119	F290 Flail Mower (skids) +	84/28	2 900	0–100	771	40–60	164 327.00	188 976.05
A0120	F290 Flail Mower + Wheels +	84/28	2 900	0–100	915	40–60	190 559.00	219 142.85
A0121	F290 Flail Mower + Roller +	84/28	2 900	0–100	865	40–60	177 847.00	204 524.05
*Implement includes hydraulic slide shift								
* Implement excludes a slip-clutch								



MOWERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0007	Groundkeeper SmartCut GH 1800 Mowing and/or scarifying with debris collection. Able to collect without cutting. Immediate and even spread of cuttings by using the built-in mulcher lever. Available in a variety of working widths for carrying behind almost any type of tractor.	1,8	470	30	P.O.R	

SPREADERS

ZA-X SPREADERS – Excluding Optional Extras

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0001	ZA-XW 503 Twin disc spreader (500 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 000 kg - Cat I / II	10–18	194	35	143 000.00	164 450.00
S0002	ZA-X 603 Twin disc spreader (600 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 000 kg - Cat II	10–18	212	37	151 100.00	173 765.00
S0012	ZA-X 903 Twin disc spreader (900 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1800 kg - Cat II	10–18	248	44	157 000.00	180 550.00

ZA-X OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
P931690	Row spreading attachment (2-Row) 2 - 5m working width	ZA-XW 503, ZA-X 603, 903	2–5	10	15 700.00	18 055.00
P114064	Hopper extension S 203 €	ZA-XW 503	-	23	11 200.00	12 880.00
P114065	Hopper extension S 253 €	ZA-X 603	-	24	12 900.00	14 835.00
P114066	Hopper extension S 353 €	ZA-X 903	-	34	13 200.00	15 180.00
P948320	Rolling device, braked	ZA-XW 503 ,ZA-X 603, 903	-	11	13 600.00	15 640.00

ZA-M SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3001	ZA-M 1002 Special Twin disc spreader (1 000 ℓ) (Excluding Discs) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg - Cat II	301	45	166 800.00	191 820.00
S3002	ZA-M 1502 Special Twin disc spreader (1 500 ℓ) (Excluding Discs) ZA-M 1002 Special Spreader fitted with S500 ℓ extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg - Cat II	310	60	194 100.00	223 215.00
S3003	ZA-M 1502 Twin disc spreader (1 500 ℓ) (Excluding Discs) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 3 100 kg - Cat II	324	65	231 300.00	265 995.00

ZA-M OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P1259000	8-Tray mobile fertiliser test rig	ZA-M – All models	-	20,2	13 500.00	15 525.00
EXTENSIONS						
P113912	Hopper extension S 502 ℓ	ZA-M – All models	-	27	15 000.00	17 250.00
P113913	Hopper extension L 1002 ℓ	ZA-M 1502	-	57	33 700.00	38 755.00
DISCS						
P927776	Spreader disc set OM 10–16 m	ZA-M – All models	10–16	8	16 400.00	18 860.00
P927777	Spreader disc set OM 18–24 m	ZA-M – All models	18–24	9	18 000.00	20 700.00
P927778	Spreader disc set OM 24–36 m (Hard Alloy Coated)	ZA-M – All models	24–36	14	38 000.00	43 700.00
ROLLING DEVICES						
P948320	Rolling device, braked	ZA-M – All models	-	11	13 600.00	15 640.00
HOPPER COVERS						
P927784	Hopper Cover Folding M, Mechanical	ZA-M 1002 & 1502 Special, ZA-M 1502	-	26	23 200.00	26 680.00
P927785	Hopper Cover Folding L, Mechanical	Only in conjunction with L1000 hopper extension	-	29	25 000.00	28 750.00
MUD GUARD						
P935081	Mud guard safety set	ZA-M 1502	-	6	P.O.R	
Boundary spreading system limiter "M"						
P935334	Boundary spreading system Limiter M Left, for self-installation	ZA-M – All models	-	24	39 800.00	45 770.00

ZA-V SPREADERS – Excluding Optional Extras					
Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3005	ZA-V 1700 Super Tronic ISOBUS (1 700 €) (Excluding Discs & Terminal Package) PTO driven spreader with automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	505	70	413 700.00	475 755.00
S3009	ZA-V 1700 Super Profis Tronic ISOBUS (1 700 €) (Excluding Discs & Terminal Package) PTO driven spreader with two weight cells for automatic online calibration. Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	565	70	445 100.00	511 865.00
S3006	ZA-V 2000 Super Profis Hydro ISOBUS (2 000 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 60 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 16-sections & auto on/off shutter control at the headland. One-touch border or side spreading control, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute as well as a mechanical hopper cover. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	634	70	634 500.00	729 675.00

ZA-V OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	ZA-V – All Models	-	30	26 700.00	30 705.00
DISCS						
P113406	V1 Spreading disc set 10–21 m	ZA-V – All Models	10–21	9,5	18 000.00	20 700.00
P113407	V2 Spreading disc set 18–28 m (Tungsten Carbide Coated)	ZA-V – All Models	18–28	9,9	29 600.00	34 040.00
P113408	V3 Spreading disc set 24–36 m (Tungsten Carbide Coated)	ZA-V – All Models	24–36	10	40 800.00	46 920.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-V	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	ZA-V (Only with AMATRON 4)	-	0	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect		-	0	16 934.00	19 474.10
EXTENSIONS						
P948293	Hopper Extension S 600 €	ZA-V – All Models	-	40	21 400.00	24 610.00
HOPPER COVERS						
P948575	Roll-up Hopper Cover Folding s, Mechanical	ZA-V Tronic, Profis Tronic	-	32,89	33 700.00	38 755.00
HITCH ADAPTER						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** All ZA-V Models	110	Cat III / IV N-Q	25 000.00	28 750.00
LIMITER						
P106612	Boundary spreading system Limiter V, left	ZA-V Tronic, Profis Tronic	-	14	45 100.00	51 865.00
LADDER						
P100645	Ladder S Supplied Loose	ZA-V – All Models	-	7	10 100.00	11 615.00

ZA-TS SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
NEW S3011	ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system on the right hand-side and with manual Click-TS on the left-hand side, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, roll-up manual hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	735	100	823 700.00	947 255.00
S3007	ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	765	112	883 800.00	1 016 370.00
S3008	ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". Max Pay Load 4 500 kg - Cat II ** Only for tractors equipped with Quick-Hitch frame	820	130	983 100.00	1 130 565.00
S3010	ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". This specification INCLUDES the factory fitted ArgusTwin and WindControl with work lights . Max Pay Load 4 500 kg - Cat II ** Only for tractors equipped with Quick-Hitch frame	857.5	130	1 204 900.00	1 385 635.00

ZA-TS OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	ZA-TS	-	30	26 700.00	30 705.00
DISCS						
P939290	TS10 Spreading vane set 15–24 m (Tungsten Carbide Coated)	ZA-TS	15–24	10,5	18 800.00	21 620.00
P939310	TS20 Spreading vane set 21–36 m (Tungsten Carbide Coated)	ZA-TS	21–36	10,5	24 100.00	27 715.00
P939320	TS30 Spreading vane set 24–54 m (Tungsten Carbide Coated)	ZA-TS	24–54	10,5	31 100.00	35 765.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-TS	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	ZA-TS (Only with AMATRON 4)	-	0	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect		-	0	16 934.00	19 474.10
HITCH ADAPTER						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** ZA-TS 3200	110	Cat III / IV N-Q	25 000.00	28 750.00
EXTENSIONS						
P948297	Hopper Extension S 800 €	Only for ZA-TS 2200 SPH	-	45	25 800.00	29 670.00
ARGUS TWIN						
P102590	Two sided system for constant online monitoring and correction of the lateral distribution for left and right hand spreading fans.	ZA-TS	ON PROMOTION		159 600.00	183 540.00
WIND CONTROL						
P109375	Compensates for wind effects on the spread pattern. For ZA-TS possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZA-TS	-	-	143 000.00	164 450.00

ZG-TS 01 SPREADERS – Excluding Optional Extras

Part No	Description	Working Width (m)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S1063	ZG-TS 7501 Profis Spreader (7 500 €)	15–54	90	P.O.R	
S1064	ZG-TS 10001 Profis Spreader (10 000 €)	15–54	90	P.O.R	
S1065	ZG-TS 7501 Truck Profis Spreader (7 500 €)	15–54	-	P.O.R	
S1066	ZG-TS 10001 Truck Profis Spreader (10 000 €)	15–54	-	P.O.R	
S1070	ZG-TS 7501 Profis HS Spreader (7 500 €)	15–54	90	P.O.R	
S1068	ZG-TS 10001 Profis HS Spreader (10 000 €)	15–54	90	P.O.R	
S1069	ZG-TS 7501 Truck Profis HS Spreader (7 500 €)	15–54	-	P.O.R	
S1067	ZG-TS 10001 Truck Profis HS Spreader (10 000 €)	15–54	-	P.O.R	

ZG-TS 01 OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	All ISOBUS	-	30	26 700.00	30 705.00
DISCS						
P939290	TS10 Spreading vane set 15–24 m (Tungsten Carbide Coated)	ZG-TS 01	15–24	10,5	18 800.00	21 620.00
P939310	TS20 Spreading vane set 21–36 m (Tungsten Carbide Coated)	ZG-TS 01	21–36	10,5	24 100.00	27 715.00
P939320	TS30 Spreading vane set 24–54 m (Tungsten Carbide Coated)	ZG-TS 01	24–54	10,5	31 100.00	35 765.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZG-TS 01	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	ZG-TS 01 (Only with AMATRON 4)	-	0	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect		-	0	16 934.00	19 474.10
ARGUS TWIN						
P102590	Two sided system for constant online monitoring and correction of the lateral distribution for left and right hand spreading fans.	ZG-TS 01	ON PROMOTION		159 600.00	183 540.00
WIND CONTROL						
P108779	Compensates for wind effects on the spread pattern. For ZG-TS 01 possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZG-TS 01	-	-	143 000.00	164 450.00

ZG-B SPREADERS – Excluding Optional Extras						
Part No	Description	Working Width (m)	Tractor (kW)	Recommended Retail Price		
				Excl VAT (R)	Inc VAT (R)	
S1056	ZG-B 5500 Drive Spreader (5 500 ℓ) non-ISOBUS	10–36	60	P.O.R		
S1060	ZG-B 8200 Drive Spreader (8 200 ℓ) non-ISOBUS	10–36	75	P.O.R		
ZG-B OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
DISCS						
P927777	Spreading disc set OM 18–24 m	ZG-B Drive	18–24	13	18 000.00	20 700.00
P927778	Spreading disc set OM 24–36 m (Hard Alloy Coated)	ZG-B Drive	24–36	15	38 000.00	43 700.00
P950749	Spreading Disc for Lime ZG-B Drive up to 12 m	ZG-B Drive	up to 12	20	P.O.R	
LIMITER						
P935411	Boundary spreading device LIMITER I.h	ZG-B Drive	-	27	37 000.00	42 550.00

SPRAYERS

UF – MOUNTED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1046	UF 901 Sprayer	1 050	12–24	from 60	P.O.R	
S1047	UF 1201 Sprayer	1 350	12–24	from 65	P.O.R	
S1059	UF 1002 Sprayer	1 100	15–28	from 60	P.O.R	
S2022	UF 1302 Sprayer	1 400	15–28	from 70	P.O.R	
S2021	UF 1602 Sprayer	1 700	15–28	from 90	P.O.R	
S1058	UF 2002 Sprayer	2 125	15–28	from 95	P.O.R	

UF OPTIONAL EXTRAS

Part No	Description	Capacity (ℓ)	Empty Mass (kg)	Compatible Models	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
YFT1001	FT 1001 – In combination with the FT 1001 front tank system it increases the capacity of the UF mounted field sprayers by 1000 litres	1 000	217	Only UF 02 models	P.O.R	
FT1502	FT 1502 – In combination with the FT 1502 front tank system it increases the capacity of the UF 02 mounted field sprayers by 1500 litres	1 500	285	Only UF 02 models	P.O.R	
	Q-Plus sprayer boom (available in 12/12.5 & 15 m)			All UF models	P.O.R	
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27, 28m)			Some UF models	P.O.R	
	Single nozzle control AmaSwitch			Only UF 02 models	P.O.R	
P112472	AmaTron Connect retrofit USB Wi-Fi adapter			All UF models (Only with AMATRON 4)	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect				16 934.00	19 474.10
	GPS compatible & Section control ready			Some UF models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	ISOBUS			All UF models	P.O.R	
	Distance control (sonars)			UF 02 models (Only Super S2-boom, AMATRON 4 / ISOBUS)	P.O.R	

UG – TRAILED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1050	UG 2200 Sprayer	2 400	15–28	from 65	P.O.R	
S1051	UG 3000 Sprayer	3 200	15–28	from 75	P.O.R	

UG OPTIONAL EXTRAS				
Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27 & 28 m)	All UG models	P.O.R	
	GPS compatible & Section control ready	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R	
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	All UG models (Only with AMATRON 4)	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect		16 934.00	19 474.10
	ISOBUS	All UG models	P.O.R	
	Distance control (sonars)	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	Drawbar steering	All UG models	P.O.R	

UX – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1052	UX 3200 Special	3 600	21–36	from 75	P.O.R	
S1053	UX 4200 Special	4 600	21–36	from 85	P.O.R	
S2023	UX 5200 Special	5 600	21–36	from 95	P.O.R	
S1057	UX 4201 Super	4 600	21–42	from 85	P.O.R	
S2025	UX 5201 Super	5 600	21–42	from 95	P.O.R	
S2026	UX 6201 Super	6 600	21–42	from 110	P.O.R	
S2034	UX 7601 Super	8 000	21–42	from 135	P.O.R	
S2033	UX 8601 Super	9 030	21–42	from 150	P.O.R	
S2028	UX 11201 Super	12 000	21–42	from 160	P.O.R	

UX OPTIONAL EXTRAS				
Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Super L-boom (available in 21, 24, 27, 28, 30, 32, 33, 36, 39, 40 & 42 m)	Some UX models	P.O.R	
	Single nozzle control AmaSwitch or AmaSelect	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	GPS compatible & Section control ready	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	All UX models (Only with AMATRON 4)	3 353.00	3 855.95
P114722	License for retrofitting AmaTron Connect		16 934.00	19 474.10
	ISOBUS	All UX models	P.O.R	
	Distance control (sonars)	Only with AMATRON 4 / ISOBUS	P.O.R	
	Drawbar or Axle Steering	Some UX models	P.O.R	
	Hydro pneumatic suspension	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	

SOIL TILLAGE									
DISC HARROWS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2018	Catros + 2503 Special Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - Disc specs: 510 x 5 mm scalloped	-	2 x 10	2.5	50–140	1 118	min 55	P.O.R	
S2015	Catros + 3003 Special Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - Disc specs: 510 x 5 mm scalloped	-	2 x 12	3,0	50–140	1 348	min 66	P.O.R	
S2016	Catros + 4003 Special Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - Disc specs: 510 x 5 mm scalloped	-	2 x 16	4,0	50–140	1 758	min 91	P.O.R	
S2030	CatrosXL 4003 NEW Compact Disc Harrow - mounted, rigid, tandem rollers with new HD bearings, mechanical depth adjustment, additional weight package - Disc specs: 610 x 6 mm scalloped	-	2 x 16	4,0	50–160	2 064	min 118	P.O.R	
S2005	Catros + 6001-2TS Compact Disc Harrow - trailed, Cat. 3 lower link hitch, hydraulic foldable, bogey axle, tandem rollers, hydraulic depth adjustment, additional weight package - Disc specs: 510 x 5 mm scalloped	-	2 x 24	6,0	50–140	4 830	min 130	P.O.R	
S2035	CatrosXL 6003-2TS NEW Compact Disc Harrow - trailed, Cat. 3 lower link hitch, hydraulic foldable, bogey axle, tandem rollers, support wheels, hydraulic depth adjustment, additional weight package - Disc specs: 610 x 6 mm scalloped	-	2 x 24	6,0	50–160	5 290	min 176	P.O.R	
S2029	Certos 6002-2TX NEW Compact Disc Harrow - trailed, Cat. 4N lower link hitch, hydraulic foldable, internal running gear, Double U-profile rollers, hydraulic depth adjustment, additional weight package - Disc specs: 660 x 6 mm scalloped	-	2 x 17	6,0	70–200	5 902	min 185	P.O.R	

ROTARY HARROWS									
Part No	Description	Number of Tines	Number of Rotors	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2003	KE 4001 Super Rotary Harrow - with tooth packer roller	-	14	4,0	max 200	1 308	66–131	P.O.R.	

COMBINATION – TRAILED CULTIVATOR									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2014	Cenius 5003-2TX Mulch cultivator - semi-trailed, Cat III, hydraulic foldable, tandem roller, single support wheels, C-Mix-3 super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, tractive force increase system (1 500kg), C-Mix 80 mm HD inversion shares	17	16	5,0	50–300	5 088	min 200	P.O.R.	
S2019 NEW	Ceus -2TX Compact disc harrow and tine cultivator combination - semi-trailed, Cat IV, hydraulic foldable, tandem roller, single support wheels, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, C-Mix 80 mm HD inversion 3-shares	10	2 x 16	4,0	50–300	6 880	min 150	P.O.R.	
S2017		15	2 x 24	6,0	50–300	8 970	min 220	P.O.R.	

PHNEUMATIC SEED DRILLS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2020	GreenDrill 200-E – Control Terminal 5.2 Pneumatic seed drill for catch crops and grass seed with 200 ℓ hopper, electric metering drive, electric fan drive, on board computer, 7 pin signal cable (DIN9684). Compatible with most Amazone soil tillage implements up to 4 m.	-	-	2.5–4	-	-	-	233 300.00	268 295.00
S2032	GreenDrill 501 ISOBUS NEW With this new generation pneumatic seed drill catch crops and grass seed can now also be more precisely fertilised. Equipped with a 500 ℓ hopper, electric metering drive, hydraulic fan drive and operated via any ISOBUS terminal. Compatible with most Amazone soil tillage implements up to 9 m. Herewith price for Certos 6002-2TX as example.	-	-	4–9	-	-	-	442 400.00	508 760.00
*Price excludes installation									

SOIL TILLAGE OPTIONAL EXTRAS				
Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Cutting roller for front mount	Catros+ 2,5 - 4m, Catros XL 3 - 4m, Catros XL 03-2TS, Catros-2TX 7 - 9m	P.O.R	
	Cage roller	KE models, Catros+, Cenius & Ceus	P.O.R	
	Tooth packer roller	KE models, Catros+, Cenius & Ceus	P.O.R	
	Wedge ring roller	KE models, Catros+, Cenius & Ceus	P.O.R	
	Tandem	Catros+, Cenius & Ceus	P.O.R	
	Double U roller	Catros+, Cenius & Ceus	P.O.R	
	Knife ring roller	Catros+, Cenius & Ceus	P.O.R	
PZP061	Radar sensor set GD with wiring harness with lift unit sensor and splitter	GreenDrill	54 100.00	62 215.00

PRICES, DESCRIPTIONS & TECHNICAL DATA ARE NOT BINDING.
ALL PRICES INCLUDE TRANSPORT TO THE FALCON DEALER IN SOUTH AFRICA.
ALL THE ABOVE MENTIONED PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE, DUE TO STOCK AVAILABILITY AND EXCHANGE RATES.