



RECOMMENDED PRICE LIST

01 October 2024



FALCON AGRICULTURAL EQUIPMENT (PTY) LTD

Reg No. 2018/410920/07

15 Mopane Road, Merrival, 3291, KwaZulu-Natal, South Africa | P.O. Box 170, Howick, 3290, KwaZulu-Natal, South Africa
Tel: +27 (0) 33 330 4764 | info@falconequipment.co.za | www.falconequipment.co.za



SLASHERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
LIGHT DUTY									
A0001	F25/90 Slasher	3	0,9	10–100	165	10–25	35 769.00 *	41 134.35	
A0003	F25/120 Slasher	4	1,2	10–100	224	15–35	40 668.00 *	46 768.20	
MEDIUM DUTY									
A0011	F40/120 Slasher +	4	1,2	10–100	307	28–45	49 120.00	56 488.00	
A0013	F40/150 Slasher +	4	1,5	10–100	413	35–50	54 755.00	62 968.25	
HEAVY DUTY									
A0027	F50/120 Slasher +	4	1,2	10-100	314	35–60	60 268.00	69 308.20	
A0021	F50/150 Slasher +	2	1,5	10–140	408	35–60	66 392.00	76 350.80	
A0021/4	F50/150/4 Slasher +	4	1,5	10–140	437	35–60	66 582.00	76 569.30	
A0023	F50/180 Slasher +	2	1,8	10–140	504	40–60	72 762.00	83 676.30	
A0023/4	F50/180/4 Slasher +	4	1,8	10–140	533	40–60	73 552.00	84 584.80	
A0026	F50/150RG Slasher +	4	1,5	10–140	412	35–50	68 460.00	78 729.00	
A0028	F50/180RG Slasher +	4	1,8	10–140	508	40–60	76 681.00	88 183.15	
A0095	F60/300 Slasher	2 x 2	3,0	50–350	1 153	60–90	229 431.00	263 845.65	
A0096	F60/300T Trailed Slasher	2 x 2	3,0	50–350	1 153	35–90	287 248.00	330 335.20	
A0086	F60/450 Flexwing Slasher	3 x 2	4,5	50–350	2 100	50–150	518 883.00	596 715.45	
EXTRA HEAVY DUTY									
A0031	F80/150 Slasher	2	1,5	10–100	456	42–80	82 439.00	94 804.85	
A0031/4	F80/150/4 Slasher	4	1,5	10–140	486	42–80	85 869.00	98 749.35	
A0034	F80/180 Slasher	2	1,8	10–100	513	45–80	85 011.00	97 762.65	
A0034/4	F80/180/4 Slasher	4	1,8	10–140	559	45–80	88 563.00	101 847.45	
A0037	F80/200 Slasher	2	2,0	10–100	592	48–80	90 646.00	104 242.90	
A0037/4	F80/200/4 Slasher	4	2,0	10–140	644	48–80	93 788.00	107 856.20	

* Implement excludes a slip-clutch

HAYMAKERS®									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
SMALL									
A0049	F40/120V Haymaker®	+	4	1,2	10–140	345	35–50	50 835.00	58 460.25
INTERMEDIATE									
A0032	F80/150V Haymaker®		2	1,5	40–155	513	45–80	86 726.00	99 734.90
A0033	F80/150EV Haymaker®		2	1,5	40–155	557	45–80	88 196.00	101 425.40
A0035	F80/180V Haymaker®		2	1,8	40–155	553	45–80	90 401.00	103 961.15
A0036	F80/180EV Haymaker®		2	1,8	40–155	610	45–80	90 738.00	104 348.70
A0040	F80/200V Haymaker®		2	2,0	40–155	656	45–80	96 965.00	111 509.75
A0083	F80/200VH Haymaker®		2	2,0	40–155	656	45–80	93 341.00	107 342.15
LARGE									
A0098	F60/350V Haymaker®		2 x 2	3,5	40–240	1 298	74–96	275 121.00	316 389.15
A0099	F60/350VT Trailed Haymaker®		2 x 2	3,5	40–240	1 350	min 55	343 228.00	394 712.20

MATERIAL HANDLING IMPLEMENTS									
Part No	Description	Lifting Capacity (kg)	** Lifting Height (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price			
						Excl VAT (R)	Inc VAT (R)		
BALE HANDLING IMPLEMENTS									
A7111	Bale Fork	750	-	48	-	9 677.00	11 128.55		
A7101	Bale Fork Loader with 2.7m lift	500	2,7	144	-	24 989.00	28 737.35		
A7105	Long beam and carrier mast assembly	500	-	96	-	16 905.00	19 440.75		
UNILOADERS®									
A7500	F750 Uniloader® with spike attachment and swivel hook	750	3,4	323	-	77 784.00	89 451.60		
A7501	F750 Uniloader® with spike attachment, swivel hook and control valve	750	3,4	325	-	89 543.00	102 974.45		
A7502	F1000 Uniloader® with spike attachment	1 000	4,5	566	-	110 245.00	126 781.75		
A7503	F1000 Uniloader® with spike attachment & control valve	1 000	4,5	578	-	123 107.00	141 573.05		
A7504	F1000 Uniloader® with swivel hook & cruciform	1 000	4,5	555	-	97 383.00	111 990.45		
A7505	F1000 Uniloader® with spike attachment, swivel hook and cruciform	1 000	4,5	666	-	124 944.00	143 685.60		
A7506	F1000 Uniloader® with spike attachment, swivel hook, cruciform and control valve	1 000	4,5	678	-	137 316.00	157 913.40		
** Varies depending on the tractor size									
BALE GRAB									
A7525	F2250 Bale Grab	2250	-	2755	-	124 800.00	143 520.00		

MULCHERS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
FIELDMULCHER™								
A0007	F50/150FM Fieldmulcher™	4	1,5	0–100	421	45–60	72 884.00	83 816.60
A0043	F50/180FM Fieldmulcher™	4	1,8	0–100	580	52–60	83 342.00	95 843.30
A0050	F80/200FM Fieldmulcher™	4	2,0	0–130	720	60–80	102 160.00	117 484.00
SIDE DISCHARGE MULCHERS								
A0056	F80/150SD Side Discharge Mulcher +	6	1,5	10–130	612	45–80	121 637.00	139 882.55
A0058	F80/180SD Side Discharge Mulcher	6	1,8	10–130	680	45–80	122 862.00	141 291.30
A0070	F80/150SD Side Discharge Mulcher with paddle blades +	6	1,5	10–130	615	45–80	121 882.00	140 164.30
A0071	F80/180SD Side Discharge Mulcher with paddle blades	6	1,8	10–130	683	45–80	123 107.00	141 573.05

SPREADERS								
Part No	Description	Capacity	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
ROTORSREADER								
A0061	F3000 Rotorspreader 3.0 m³	3,0 m³	2,5–3	890	35	147 728.00 *	169 887.20	
A0062	F4200 Rotorspreader 4.2 m³	4,2 m³	2,5–3	1 120	45	189 621.00 *	218 064.15	
LIMESPREADER								
A0064	F400 Mounted Limespreader 400 ℓ	400 ℓ	2,4	380	30–45	85 991.00	98 889.65	
A0065	F500 Trailed Limespreader 500 ℓ	500 ℓ	3,0	480	30–45	74 722.00	85 930.30	
* Implement excludes a slip-clutch								

ROTAVATORS								
Part No	Description (Model "+" Includes Offset)	Working Width (m)	Working Depth (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
ROTAVATORS								
A0072	F125 Rotavator +	1,28	300	549	35–60	137 071.00	157 631.65	
A0073	F150 Rotavator +	1,53	300	596	42–60	138 786.00	159 603.90	
A0074	F175 Rotavator +	1,78	300	645	45–60	148 708.00	171 014.20	
A0075	F200 Rotavator +	2,03	300	698	48–60	157 037.00	180 592.55	

BEDFORMERS							
A0076	F125 Bedformer	1,28	-	120	-	38 953.00	44 795.95
A0077	F150 Bedformer	1,53	-	130	-	39 076.00	44 937.40
A0078	F175 Bedformer	1,78	-	140	-	39 443.00	45 359.45
A0079	F200 Bedformer	2,03	-	150	-	39 688.00	45 641.20
A0087	Bedformer and centre form for the F175 Rotavator	1,78	-	196	-	48 263.00	55 502.45
A0088	Bedformer and centre form for the F200 Rotavator	2,03	-	206	-	48 508.00	55 784.20

MOWERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
ROLLERMOWERS									
LIGHT-DUTY									
A0002	F25/90RM Rollermower	3	0,9	0-100	185	10-25	39 566.00 *	45 500.90	
A0004	F25/120RM Rollermower	4	1,2	0-100	238	15-25	44 711.00 *	51 417.65	
MEDIUM-DUTY									
A0012	F40/120RM Rollermower +	4	1,2	0-100	345	15-40	52 305.00	60 150.75	
A0014	F40/150RM Rollermower +	4	1,5	0-100	472	35-40	64 310.00	73 956.50	
HEAVY-DUTY									
A0022	F50/150RM Rollermower +	4	1,5	0-100	493	40-50	76 926.00	88 464.90	
A0024	F50/180RM Rollermower +	4	1,8	0-100	595	40-60	83 419.00	95 931.85	
GRASSMULCHER™									
LIGHT-DUTY									
A0009	F25/120GM Grassmulcher™	4	1,2	10-100	309	15-25	52 918.00 *	60 855.70	
A0094	F40/150GM Grassmulcher™	4	1,5	10-100	475	35-50	68 474.00	78 745.10	
HEAVY-DUTY									
A0048	F50/180GM Grassmulcher™	4	1,8	10-100	650	40-60	89 788.00	103 256.20	
* Implement excludes a slip-clutch									

BLOWERMOWER™								
LIGHT-DUTY								
A0081	F25/90BM Blowermower™ with grass bag	4	0,9	0-100	217	10-25	46 181.00 *	53 108.15
A0092	F25/90BM Blowermower™ without grass bag frame	4	0,9	0-100	197	10-25	41 281.00 *	47 473.15
MEDIUM-DUTY								
A0085	F40/120BM Blowermower™ with grass bag	4	1,2	0-100	359	25-50	59 165.00 *	68 039.75
A0089	F40/120BM Blowermower™ without grass bag frame	4	1,2	0-100	338	25-50	53 898.00 *	61 982.70
A0090	F40/150BM Blowermower™ with grass bag	4	1,5	0-100	471	25-50	71 904.00 *	82 689.60
A0091	F40/150BM Blowermower™ without grass bag frame	4	1,5	0-100	451	25-50	67 004.00 *	77 054.60
HEAVY-DUTY								
A0025	F50/150BM Blowermower™ with grass bag	4	1,5	0-100	560	35-60	90 440.00	104 006.00
A0093	F50/150BM Blowermower™ without grass bag frame	4	1,5	0-100	540	35-60	85 517.00	98 344.55
* Implement excludes a slip-clutch								

SPECIALISED MOWERS								
Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
ROTAGANG®								
A0054	Rotagang® incl carrier frame	12	1,75	10-50	421	25-40	141 113.00 *	162 279.95
FINISHING MOWER								
A0100	F210 TurfPro Finishing Mower	12	2,1	0-60	470	35-50	119 677.00 *	137 628.55
* Implement excludes a slip-clutch								

FLAIL IMPLEMENTS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
A0102	F150 Flail Cutter (roller)	+	42/14	1 500	615	35-50	147 728.00 *	169 887.20
A0103	F170 Flail Cutter (roller)	+	48/16	1 700	651	35-50	161 325.00 *	185 523.75
A0105	F210 Flail Cutter (roller)	+	60/20	2 100	717	40-60	182 761.00 *	210 175.15
A0106	F230 Flail Cutter (roller)	+	66/22	2 300	751	40-60	186 068.00 *	213 978.20
A0125	F210 Flail Mower (roller)	+	20/60	2 100	n/a	40-60	151 158.00 *	173 831.70
A0123	F250 Flail Mower (roller)	+	24/72	2 500	n/a	40-60	176 881.00 *	203 413.15
A0119	F290 Flail Mower (skids)	+	84/28	2 900	771	40-60	174 186.00 *	200 313.90
A0120	F290 Flail Mower + Wheels	+	84/28	2 900	915	40-60	201 992.00 *	232 290.80
A0121	F290 Flail Mower + Roller	+	84/28	2 900	865	40-60	188 518.00 *	216 795.70
All Flail Cutters includes hydraulic side shift								
* Implement excludes a slip-clutch								



MOWERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0007	Groundkeeper SmartCut GH 1800 Mowing and/or scarifying with debris collection. Able to collect without cutting. Immediate and even spread of cuttings by using the built-in mulcher lever. Available in a variety of working widths for carrying behind almost any type of tractor.	1,8	470	30	P.O.R	

SPREADERS

ZA-X SPREADERS – Excluding Optional Extras

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0001	ZA-XW 503 Twin disc spreader (500 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 000 kg - Cat I / II	10-18	194	35	143 000.00	164 450.00
S0002	ZA-X 603 Twin disc spreader (600 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 000 kg - Cat II	10-18	212	37	151 100.00	173 765.00
S0012	ZA-X 903 Twin disc spreader (900 €) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1800 kg - Cat II	10-18	248	44	157 000.00	180 550.00

ZA-X OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
P931690	Row spreading attachment (2-Row) 2 - 5m working width	ZA-XW 503, ZA-X 603, 903	2-5	10	15 700.00	18 055.00
P114064	Hopper extension S 203 (200 €)	ZA-XW 503	-	23	11 200.00	12 880.00
P114065	Hopper extension S 253 (250 €)	ZA-X 603	-	24	12 900.00	14 835.00
P114066	Hopper extension S 353 (350 €)	ZA-X 903	-	34	13 200.00	15 180.00
P948320	Rolling device, braked	ZA-XW 503, ZA-X 603, 903	-	11	13 600.00	15 640.00

ZA-M SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3001	ZA-M 1002 Special Twin disc spreader (1 000 ℓ) (Excluding Discs) Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg - Cat II	301	45	166 800.00	191 820.00
S3002	ZA-M 1502 Special Twin disc spreader (1 500 ℓ) (Excluding Discs) ZA-M 1002 Special Spreader fitted with S500 ℓ extension, Incl PTO shaft, hopper sieve, rolling device (braked) , hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg - Cat II	310	60	194 100.00	223 215.00
S3003	ZA-M 1502 Twin disc spreader (1 500 ℓ) (Excluding Discs) Incl PTO Shaft, hopper sieve, rolling device (braked) , hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 3 100 kg - Cat II	324	65	231 300.00	265 995.00

ZA-M OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P1259000	8-Tray mobile fertiliser test rig	ZA-M – All models	-	20,2	13 500.00	15 525.00
EXTENSIONS						
P113912	Hopper extension S 502 (500 ℓ)	ZA-M – All models	-	27	15 000.00	17 250.00
P113913	Hopper extension L 1002 (1000 ℓ)	ZA-M 1502	-	57	33 700.00	38 755.00
DISCS						
P927776	Spreader disc set OM 10–16 m	ZA-M – All models	10–16	8	16 400.00	18 860.00
P927777	Spreader disc set OM 18–24 m	ZA-M – All models	18–24	9	18 000.00	20 700.00
P927778	Spreader disc set OM 24–36 m (Hard Alloy Coated)	ZA-M – All models	24–36	14	38 000.00	43 700.00
ROLLING DEVICES						
P948320	Rolling device, braked	ZA-M – All models	-	11	13 600.00	15 640.00
HOPPER COVERS						
P927784	Hopper Cover Folding M, Mechanical	ZA-M 1002 & 1502 Special, ZA-M 1502	-	26	23 200.00	26 680.00
P927785	Hopper Cover Folding L, Mechanical	Only in conjunction with L1000 hopper extension	-	29	25 000.00	28 750.00
MUD GUARD						
P935081	Mud guard safety set	ZA-M 1502	-	6	P.O.R	
Boundary spreading system limiter "M"						
P935334	Boundary spreading system Limiter M Left, for self-installation	ZA-M – All models	-	24	39 800.00	45 770.00

ZA-V SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3005	<p>ZA-V 1700 Super Tronic ISOBUS (1 700 €) (Excluding Discs & Terminal Package) PTO driven spreader with automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including LED-traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal".</p> <p>Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</p>	505	70	413 700.00	475 755.00
S3009	<p>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 €) (Excluding Discs & Terminal Package) PTO driven spreader with two weight cells for automatic online calibration. Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including LED-traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal".</p> <p>Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</p>	565	70	445 100.00	511 865.00
S3006	<p>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 €) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 60 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 16-sections & auto on/off shutter control at the headland. One-touch border or side spreading control, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including LED-traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute as well as a roll-up mechanical hopper cover. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal".</p> <p>Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</p>	634	70	634 500.00	729 675.00

ZA-V OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	ZA-V – All Models	-	30	26 700.00	30 705.00
DISCS						
P116584	V1 Spreading disc set 10–21 m	ZA-V – All Models	10–21	9,5	18 000.00	20 700.00
P116585	V2 Spreading disc set 18–28 m (Tungsten Carbide Coated)		18–28	9,9	29 600.00	34 040.00
P121759	V3 Spreading disc set 24–36 m (Tungsten Carbide Coated)		24–36	10	40 800.00	46 920.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-V	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	Only possible with AmaTron 4	-	0	2 000.00	2 300.00
P114722	License for retrofitting AmaTron Connect		-	0	17 500.00	20 125.00
EXTENSIONS						
P948293	Hopper Extension S 600 (600€) **Only 1x extension per spreader allowed.	ZA-V – All Models	-	40	21 400.00	24 610.00
HOPPER COVERS						
P948575	Roll-up Hopper Cover s, Mechanical	ZA-V Tronic, Profis Tronic	-	32,89	33 700.00	38 755.00
HITCH ADAPTER						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** All ZA-V Models	110	Cat III / IV N-Q	25 000.00	28 750.00
LIMITER						
P106612	Boundary spreading system Limiter V, left	ZA-V Tronic, Profis Tronic	-	14	45 100.00	51 865.00
LADDER						
P100645	Ladder S Supplied Loose	ZA-V – All Models	-	7	10 100.00	11 615.00
BED SPREAD						
P0008	Bed spreading deflector retrofit kit: Mechanically operated Bed spreading deflector for bed spreading to the right . Guard tube S for spreading deflector including position sensor.	ZA-V – All Models	-	-	26 000.00	29 900.00
P0009	Bed spreading deflector retrofit kit: Hydraulically operated Bed spreading deflector for bed spreading to the right . Guard tube S for spreading deflector including position sensor.	ZA-V – All Models	-	-	35 500.00	40 825.00

ZA-TS SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
NEW S3011	ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 ℓ) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration . Only needs one single-acting spool valve with pressure-free return (45 - 80 ℓ/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system on the right hand-side and with manual Click-TS on the left-hand side, hopper sieve, ingenious on-board rolling device (braked) , electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including LED-traffic lights , mudguards, 16-tray mobile fertiliser test rig and a calibration chute, roll-up manual hopper cover as well ladders on left- and right-hand. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	735	100	823 700.00	947 255.00
S3007	ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 ℓ) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration . Only needs one single-acting spool valve with pressure-free return (45 - 80 ℓ/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked) , electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including LED-traffic lights , mudguards, 16-tray mobile fertiliser test rig and a calibration chute, roll-up hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal". Max Pay Load 3 200 kg - Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras	765	112	883 800.00	1 016 370.00
S3008	ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 ℓ) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration . Only needs one single-acting spool valve with pressure-free return (45 - 80 ℓ/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked) , electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including LED-traffic lights , mudguards, 16-tray mobile fertiliser test rig and a calibration chute, roll-up hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal". Max Pay Load 4 500 kg - Cat III / IV N ** Only for tractors equipped with Quick-Hitch frame	820	130	983 100.00	1 130 565.00
S3010	ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 ℓ) (Excluding Discs & Terminal Package) Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration . Only needs one single-acting spool valve with pressure-free return (45 - 80 ℓ/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked) , electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including LED-traffic lights , mudguards, 16-tray mobile fertiliser test rig and a calibration chute, roll-up hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by AmaTron 4 or customer's own ISOBUS terminal". This specification INCLUDES the factory fitted ArgusTwin and WindControl with work lights . Max Pay Load 4 500 kg - Cat III / IV N ** Only for tractors equipped with Quick-Hitch frame	857.5	130	1 204 900.00	1 385 635.00

ZA-TS OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	ZA-TS	-	30	26 700.00	30 705.00
DISCS						
P117558	TS 10 spreading vane set, left	ZA-TS	15-24	5,8	9 400.00	10 810.00
P117559	TS 10 spreading vane set, right			5,8	9 400.00	10 810.00
P117560	TS 20 spreading vane set, left		21-36	6,2	12 100.00	13 915.00
P117561	TS 20 spreading vane set, right			6,2	12 100.00	13 915.00
P121755	TS 30 spreading vane set, left		24-54	6,6	15 600.00	17 940.00
P121756	TS 30 spreading vane set, right			6,6	15 600.00	17 940.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-TS	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	Only possible with AmaTron 4	-	0	2 000.00	2 300.00
P114722	License for retrofitting AmaTron Connect		-	0	17 500.00	20 125.00
HITCH ADAPTER						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** ZA-TS 3200	110	Cat III / IV N-Q	25 000.00	28 750.00
EXTENSIONS						
P948297	Hopper Extension L 800 (800 €)	Only for ZA-TS 2200 SPH or ZA-TS 4200 UPH with Software NW188-G.033	-	45	25 800.00	29 670.00
ARGUS TWIN						
P102590	Two-sided system for constant online monitoring and correction of the lateral distribution for left- and right-hand spreading fans.	ZA-TS		-	159 600.00	183 540.00
WIND CONTROL						
P109375	Compensates for wind effects on the spread pattern. For ZA-TS possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZA-TS	-	-	143 000.00	164 450.00
BORDER TS, BED SPREAD						
P0005	BorderTS & Bed spreading retrofit kit: Hydraulically operated BorderTS deflector for boundary spreading to the right . Bed spreading deflector for bed spreading to the right . Guard tube L for spreading deflector including position sensor.	ZA-TS	-	-	59 000.00	67 850.00
P0006	Bed spreading defelctor retrofit kit: Hydraulically operated Bed spreading deflector for bed spreading to the right . Guard tube L for spreading deflector including position sensor.	ZA-TS	-	-	46 500.00	53 475.00

ZG-TS 01 SPREADERS – Excluding Optional Extras

Part No	Description	Working Width (m)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S1063	ZG-TS 7501 Profis Pro Spreader (7 500 €)	15–54	90	P.O.R	
S1064	ZG-TS 10001 Profis Pro Spreader (10 000 €)	15–54	90	P.O.R	
S1065	ZG-TS 7501 Truck Profis Pro Spreader (7 500 €)	15–54	-	P.O.R	
S1066	ZG-TS 10001 Truck Profis Pro Spreader (10 000 €)	15–54	-	P.O.R	
S1070	ZG-TS 7501 Profis Pro HS Spreader (7 500 €)	15–54	90	P.O.R	
S1068	ZG-TS 10001 Profis Pro HS Spreader (10 000 €)	15–54	90	P.O.R	
S1069	ZG-TS 7501 Truck Profis HS Spreader (7 500 €)	15–54	-	P.O.R	
S1067	ZG-TS 10001 Truck Profis Pro HS Spreader (10 000 €)	15–54	-	P.O.R	
S1074	ZG-TX 11200 Super Tronic (11 200 €)	15–54 (> 15–Lime)	-	P.O.R	

ZG-TS 01 OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	All ISOBUS	-	30	26 700.00	30 705.00
DISCS						
P117558	TS 10 spreading vane set, left	ZG-TS 01	15–24	5,8	9 400.00	10 810.00
P117559	TS 10 spreading vane set, right				9 400.00	10 810.00
P117560	TS 20 spreading vane set, left		21–36	6,2	12 100.00	13 915.00
P117561	TS 20 spreading vane set, right				12 100.00	13 915.00
P121755	TS 30 spreading vane set, left		24–54	6,6	15 600.00	17 940.00
P121756	TS 30 spreading vane set, right				15 600.00	17 940.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZG-TS 01	-	10,5	152 500.00	175 375.00
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	Only possible with AmaTron 4	-	0	2 000.00	2 300.00
P114722	License for retrofitting AmaTron Connect		-	0	17 500.00	20 125.00
ARGUS TWIN						
P102590	Two sided system for constant online monitoring and correction of the lateral distribution for left and right hand spreading fans.	ZG-TS 01		-	159 600.00	183 540.00
WIND CONTROL						
P108779	Compensates for wind effects on the spread pattern. For ZG-TS 01 possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZG-TS 01	-	-	143 000.00	164 450.00
BED SPREAD						
P0007	Bed spreading defelctor retrofit kit: Hydraulically operated Bed spreading deflector for bed spreading to the right including position sensor.	ZG-TS 01 (since model year 2022)	-	-	46 500.00	53 475.00
P0010	Bed spreading defelctor retrofit kit: Hydraulically operated Bed spreading deflector for bed spreading to the left and right including position sensor.	ZG-TS 01 (since model year 2022)	-	-	53 500.00	61 525.00

ZG-B SPREADERS – Excluding Optional Extras

Part No	Description	Working Width (m)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S1060	ZG-B 8200 Drive Spreader (8 200 ℓ) non-ISOBUS Std. Eqpt. Incl. Amatron 3, disc sets for lime & fert. Hyd. Hopper cover.	10–36	75	P.O.R	

ZG-B OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
DISCS						
P927777	Spreading disc set OM 18–24 m	ZG-B Drive	18–24	13	18 000.00	20 700.00
P927778	Spreading disc set OM 24–36 m (Hard Alloy Coated)	ZG-B Drive	24–36	15	38 000.00	43 700.00
P950749	Spreading Disc for Lime ZG-B Drive up to 12 m	ZG-B Drive	up to 12	20	P.O.R	

SPRAYERS

UF – MOUNTED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1046	UF 901 Sprayer	1 050	12–24	from 60	P.O.R	
S1047	UF 1201 Sprayer	1 350	12–24	from 65	P.O.R	
S1059	UF 1002 Sprayer	1 100	15–30	from 60	P.O.R	
S2022	UF 1302 Sprayer	1 400	15–30	from 70	P.O.R	
S2021	UF 1602 Sprayer	1 700	15–30	from 90	P.O.R	
S1058	UF 2002 Sprayer	2 125	15–30	from 95	P.O.R	

UF OPTIONAL EXTRAS						
Part No	Description	Capacity (ℓ)	Empty Mass (kg)	Compatible Models	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
YFT1001	FT 1001 – In combination with the FT 1001 front tank system it increases the capacity of the UF mounted field sprayers by 1000 litres	1 000	217	Only UF 02 models	P.O.R	
FT1502	FT 1502 – In combination with the FT 1502 front tank system it increases the capacity of the UF 02 mounted field sprayers by 1500 litres	1 500	285	Only UF 02 models	P.O.R	
	Q-Plus sprayer boom (available in 12/12.5 & 15 m)			All UF models	P.O.R	
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27, 28, 30m)			Some UF models	P.O.R	
	Single nozzle control AmaSwitch			UF 02 models (Only Super S2-boom, AMATRON 4 / ISOBUS)	P.O.R	
P112472	AmaTron Connect retrofit USB Wi-Fi adapter			Only possible with AmaTron 4	2 000.00	2 300.00
P114722	License for retrofitting AmaTron Connect				17 500.00	20 125.00
	GPS compatible & Section control ready			Some UF models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	Hydraulic pump drive (Prerequisite is +50 l/min extractable oil quantity) NEW			Only UF 1602 or UF 2002 models	P.O.R	
	ISOBUS			All UF models	P.O.R	
	Distance control (sonars)			UF 02 models (Only Super S2-boom, AMATRON 4 / ISOBUS)	P.O.R	

UG – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1050	UG 2200 Sprayer	2 400	15–28	from 65	P.O.R	
S1051	UG 3000 Sprayer	3 200	15–28	from 75	P.O.R	
UG OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Recommended Retail Price			
			Excl VAT (R)	Inc VAT (R)		
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27 & 28 m)	All UG models	P.O.R			
	GPS compatible & Section control ready	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R			
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	Only possible with AmaTron 4	2 000.00	2 300.00		
P114722	License for retrofitting AmaTron Connect		17 500.00	20 125.00		
	ISOBUS	All UG models	P.O.R			
	Distance control (sonars)	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R			
	Drawbar steering	All UG models	P.O.R			

UX – TRAILED FIELD SPRAYERS

Part No	Description	Standard Capacity (£)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1052	UX 3200 Special	3 600	21–36	from 75	P.O.R	
S1053	UX 4200 Special	4 600	21–36	from 85	P.O.R	
S2023	UX 5200 Special	5 600	21–36	from 95	P.O.R	
S1057	UX 4201 Super	4 600	21–48	from 85	P.O.R	
S2025	UX 5201 Super	5 600	21–48	from 95	P.O.R	
S2026	UX 6201 Super	6 600	21–48	from 110	P.O.R	
S2032	UX 7601 Super	8 000	21–48	from 135	P.O.R	
S2033	UX 8601 Super	9 030	21–48	from 150	P.O.R	
S2028	UX 11201 Super	12 000	30–48	from 160	P.O.R	

UX OPTIONAL EXTRAS

Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Super L-boom (available in 21, 24, 27, 28, 30, 32, 33, 36, 39, 40, 42, 45 & 48 m)	Some UX models	P.O.R	
	Single nozzle control AmaSwitch or AmaSelect (AmaSelect with free of charge CurveControl)	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	GPS compatible & Section control ready	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
P112472	AmaTron Connect retrofit USB Wi-Fi adapter	Only possible with AmaTron 4	2 000.00	2 300.00
P114722	License for retrofitting AmaTron Connect		17 500.00	20 125.00
	ISOBUS	All UX models	P.O.R	
	Distance control or ContourControl (Sonars)	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	SwingStop (Vibration compensation)	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	Drawbar or Axle Steering	Some UX models	P.O.R	
	Hydro pneumatic suspension	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R	

SOIL TILLAGE									
DISC HARROWS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2018	Catros + 2503 Special "Smart Frame System" Compact Disc Harrow - mounted, rigid, tandem rollers, including free hydraulic depth control, additional weight package - Disc specs: 510 x 5 mm scalloped	-	2 x 10	2.5	50-140	1 118	min 55	P.O.R	
S2015	Catros + 3003 Special "Smart Frame System" Compact Disc Harrow - mounted, rigid, tandem rollers, including free hydraulic depth control Disc specs: 510 x 5 mm scalloped	-	2 x 12	3,0	50-140	1 015	min 66	P.O.R	
S2016	Catros + 4003 Special "Smart Frame System" Compact Disc Harrow - mounted, rigid, tandem rollers, including free hydraulic depth control Disc specs: 510 x 5 mm scalloped	-	2 x 16	4,0	50-140	1 360	min 91	P.O.R	
S2030	CatrosXL 4003 NEW "Smart Frame System" Compact Disc Harrow - mounted, rigid, tandem rollers, including free hydraulic depth control, additional weight package - Disc specs: 610 x 6 mm scalloped	-	2 x 16	4,0	50-160	2 064	min 118	P.O.R	
S2035	CatrosXL 6003-2TS NEW "Smart Frame System" Compact Disc Harrow - trailed, Cat. 3 lower link hitch, hydraulic foldable, bogey axle, tandem rollers with HD bearings, support wheels, hydraulic depth adjustment, additional weight package Disc specs: 610 x 6 mm scalloped	-	2 x 24	6,0	50-160	5 290	min 176	P.O.R	
S2036	Catros+ 8003-2TX NEW "Smart Frame System" Compact Discs Harrow - trailed, Cat 4N lower link hitch, hydraulic foldable, integrated running gear, tandem rollers with HD bearings, support wheels, hydraulic depth adjustment Disc specs: 510 x 5 mm scalloped	-	2 x 32	8,0	50-140	7 750	min 176	P.O.R	
S2029	Certos 6002-2TX NEW "Smart Frame System" Compact Disc Harrow - trailed, Cat. 4N lower link hitch, hydraulic foldable, internal running gear, Double U-profile rollers with HD bearings, hydraulic depth adjustment, additional weight package Disc specs: 660 x 6 mm scalloped	-	2 x 17	6,0	70-200	5 902	min 185	P.O.R	

ROTARY HARROWS									
Part No	Description	Number of Tines	Number of Rotors	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2003	KE 4001 Super Rotary Harrow - with tooth packer roller	-	14	4,0	max 200	1 308	66-131	P.O.R.	

TRAILED CULTIVATORS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2014	Cenius 5003-2TX Mulch cultivator - semi-trailed, Cat 3 , hydraulic foldable, tandem roller with HD bearings , single support wheels, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, tractive force increase system (1 500kg), 80 mm C-Mix-3 HD inversion shares.	17	16	5,0	20-350	5 088	min 200	P.O.R.	
S2019	Ceus 4000-2TX Compact disc harrow and tine cultivator combination - semi-trailed, Cat 3 , hydraulic foldable, tandem roller with HD bearings , single support wheels, 510 x 5 mm scalloped discs set, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, 80 mm C-Mix-3 HD inversion 3-shares.	10	2 x 16	4,0	50-140 (discs) 20-350 (tines)	6 880	min 150	P.O.R.	
S2017	Ceus 6000-2TX Compact disc harrow and tine cultivator combination - semi-trailed, Cat 4 hydraulic foldable, tandem roller with HD bearings , single support wheels, 510 x 5 mm scalloped discs set, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, 80 mm C-Mix-3 HD inversion 3-shares.	15	2 x 24	6,0	50-140 (discs) 20-350 (tines)	8 970	min 220	P.O.R.	

PHNEUMATIC SEED DRILLS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2020A	GreenDrill 200-E – Control Terminal 5.2	-	-	2.5 - 4	-	-	-	*	
	Set includes pneumatic seed drill for catch crops and grass seed with 200 ℓ hopper, electric metering drive, electric fan drive, on board computer, 7 pin signal cable (DIN9684). Basic equipment includes hopper bracket for self-installation on most rigid Amazone soil tillage implements up to 4 m.							P.O.R.	
S2034	GreenDrill 501 ISOBUS NEW	-	-	4-9	-	-	-	*	
	With this new generation pneumatic seed drill catch crops and grass seed can now also be more precisely fertilised. Equipped with a 500 ℓ hopper, electric metering drive, hydraulic fan drive and operated via any ISOBUS terminal. Compatible with most Amazone soil tillage implements up to 9 m.							P.O.R.	
* Price excludes installation									

SOIL TILLAGE OPTIONAL EXTRAS				
Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Cutting roller for front mount	Catros+ 2,5 - 4m, Catros XL 3 - 4m, Catros XL 03-2TS, Catros-2TX 7 - 9m	P.O.R	
	Cage roller	Power harrows, Catros, Cenius & Ceus	P.O.R	
	Tooth packer roller	Power harrows, Catros, Cenius & Ceus	P.O.R	
	Wedge ring roller	Power harrows, Catros, Cenius & Ceus	P.O.R	
	Tandem	Catros, Cenius & Ceus	P.O.R	
	Double U roller	Catros, Cenius & Ceus	P.O.R	
	Knife ring roller	Catros, Cenius & Ceus	P.O.R	

PRICES, DESCRIPTIONS & TECHNICAL DATA ARE NOT BINDING.
ALL PRICES INCLUDE TRANSPORT TO THE FALCON DEALER IN SOUTH AFRICA.
ALL THE ABOVE MENTIONED PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE, DUE TO STOCK AVAILABILITY AND EXCHANGE RATES.